

DRAFT


Bay-Delta Standards Contained in D-1641

DRAFT

| CRITERIA | Jan 01 | Feb 01 | Mar 01 |
|----------------------------------|--|--|--------|
| FLOW/OPERATIONAL | <u> </u> | 10001 | mai VI |
| Fish and Wildlife | | | |
| SWP/CVP Export Limits | | | |
| Export/Inflow Ratio | 65% | 35% | 35% |
| Minimum Outflow - mon. | 4500 cfs | | |
| - 7 day ave. | 3500 cfs | | |
| Striped Bass Survival | | | |
| Suisun Marsh | | | |
| Habitat Protection Outflow, X2 | | 7,100 - 29,200 cfs or X2 days (through June) | |
| River Flows: | | | |
| @ Rio Vista - min. mon. avg. | | | |
| @ Vernalis: Base -min. mon. avg. | | 1420 (or 2280) cfs if X2 > 74 km | |
| - 7 day average | | 1136 (or 1824) cfs if X2 > 74 km | |
| Pulse objective | | | |
| Delta Cross Channel Gates | NovJan. may be closed up to a total of 45 days | | Closed |
| WATER QUALITY STANDARDS | | | |
| Municipal and Industrial | | | |
| All Export Locations | 250 mg/l Chlorides | | |
| Contra Costa Canal | CI <= 150 mg/l for 175 days | | |
| Agriculture | | | |
| Western/Interior Delta | | | |
| Southern Delta | | 30 day running avg EC <= 1.0 mS | |
| Fish and Wildlife | | | |
| | | | |
| San Joaquin River Salinity | | | |

SRI (40-30-30 @ 50%) = 6.7 MAF SJV (60-20-20 @75%) =1.8 MAF

SWP & CVP CY 2001 Forecasted Operations.



Based on 1/01 SWP & CVP operations studies. Flows are monthly averages.